


# Be a Bold Coder

Beth Tucker Long  
@e3betht



# Who am I?

## Beth Tucker Long (@e3betht)

- PHP Developer at Code Climate
- Stay-at-home mom
- User group leader
- Mentor



# Audience Participation?

- Completely fine. Ask me questions any time.

# Why?

# Why?

- Build confidence
- Improve code quality and security
- Easier integration

# What this talk is not

# A bit of history

# Use the "S" Word



Use the "S" Word

Standards!

Use the "S" Word

Wait, multiple standards?

# PHP-FIG

- PSR-1 Basic Coding Standard  
<http://www.php-fig.org/psr/psr-1/>
- PSR-2 Coding Style Standard  
<http://www.php-fig.org/psr/psr-2/>

# PHP Coding Standards Fixer

<http://cs.sensiolabs.org>

- Fixes "most" issues
- PSR-1 and PSR-2 compliant

# PHP\_CodeSniffer

[https://github.com/squizlabs/PHP\\_CodeSniffer](https://github.com/squizlabs/PHP_CodeSniffer)

- Phar, PEAR, or Composer
- Preset and customizable standards
- Will fix items for you automatically

# Output

```
$ phpcs /myDir/myFile.php  
FILE: /myDir/myFile.php
```

---

```
FOUND 3 ERROR(S) AFFECTING 3 LINE(S)
```

---

```
 2 | ERROR | [ ] Missing file doc comment  
20 | ERROR | [x] PHP keywords must be lowercase;  
    |       |     expected "false" but found "FALSE"  
47 | ERROR | [x] Line not indented correctly;  
    |       |     expected 4 spaces but found 1
```

---

# IDEs

- Sublime Text  
<http://www.sublimetext.com>
- PhpStorm  
<https://www.jetbrains.com/phpstorm/>
- Vim  
<http://www.vim.org>

# Use the other "S" Word



Use the other "S" Word

Security

# Security

- <http://php.net/manual/en/security.php>
- [https://www.owasp.org/index.php/PHP\\_Security\\_Cheat\\_Sheet](https://www.owasp.org/index.php/PHP_Security_Cheat_Sheet)
- <http://websec.io>
- Securing PHP: Core Concepts  
<https://leanpub.com/securingphp-coreconcepts>  
<https://speakerdeck.com/ccornutt>  
<http://securingphp.com>

# Test Your Code

A little bit of extra work up front  
saves lots and lots of work later on.

# Need Help with Testing?

Chris Hartjes

@grumpyprogrammer

<http://grumpy-learning.com>

# Use a Testing Framework

PHPUnit

<https://phpunit.de>

# Document Your Code

Make sure everyone knows  
what your code is doing...  
including you.

# Document Your Code

phpDocumentor: <http://www.phpdoc.org/>

- Automates documentation
- Tutorial:  
[http://manual.phpdoc.org/HTMLSmartyConverter/HandS/phpDocumentor/tutorial\\_phpDocumentor.howto.pkg.html](http://manual.phpdoc.org/HTMLSmartyConverter/HandS/phpDocumentor/tutorial_phpDocumentor.howto.pkg.html)

```
/**
 * Put your short description here.
 *
 * Put your long description here.
 * You may use multiple lines.
 * You can even use Markdown.
 *
 * @author Beth Tucker Long <beth@musketeers.me>
 *
 * @since 1.0
 *
 * @param int $exampleA This is a method parameter description.
 * @param string $exampleB This is another example.
 */
```





\ global

## 📍 NAMESPACES

📁 *global*

## 📁 Functions

Creates a packager object with all basic options set.

```
createPackager(string $original_file, string[] $options) : \
PEAR_Error | \PEAR_PackageFileManager2
```

### Parameters

#### **\$original\_file**

`string` Path of the original package.xml.

#### **\$options**

`string[]` Set of options to merge in.

### Returns

`\PEAR_Error` `\PEAR_PackageFileManager2`

Generate a XHPProf Display View given the various URL parameters as arguments.

```
displayXHPProfReport(object $xhprof_runs_impl, array $url_params, string $source, string $run, string $wts, string $symbol, $sort, string $run1, string $run2)
```

# Know Your Language

php.net

# trim

Change language: [Edit](#) [Report a Bug](#)

(PHP 4, PHP 5)

trim — Strip whitespace (or other characters) from the beginning and end of a string

## Description

```
string trim ( string $str [, string $character_mask = " \t\n\r\0\x0B" ] )
```

This function returns a string with whitespace stripped from the beginning and end of **str**. Without the second parameter, **trim()** will strip these characters:

- " " (ASCII 32 (0x20)), an ordinary space.
- "\t" (ASCII 9 (0x09)), a tab.
- "\n" (ASCII 10 (0x0A)), a new line (line feed).
- "\r" (ASCII 13 (0x0D)), a carriage return.
- "\0" (ASCII 0 (0x00)), the NUL-byte.
- "\x0B" (ASCII 11 (0x0B)), a vertical tab.

## String Functions

[addslashes](#)[addslashes](#)[bin2hex](#)[chop](#)[chr](#)[chunk\\_split](#)[convert\\_cyr\\_string](#)[convert\\_uudecode](#)[convert\\_uuencode](#)[count\\_chars](#)[crc32](#)[crypt](#)[echo](#)[explode](#)[fprintf](#)[get\\_html\\_translation\\_table](#)[hebrew](#)[hebrevc](#)[hex2bin](#)[html\\_entity\\_decode](#)[htmlentities](#)

## Notes

---

### **Note: Possible gotcha: removing middle characters**

Because `trim()` trims characters from the beginning and end of a string, it may be confusing when characters are (or are not) removed from the middle. `trim('abc', 'bad')` removes both 'a' and 'b' because it trims 'a' thus moving 'b' to the beginning to also be trimmed. So, this is why it "works" whereas `trim('abc', 'b')` seemingly does not.

## See Also

---

- [ltrim\(\)](#) - Strip whitespace (or other characters) from the beginning of a string
- [rtrim\(\)](#) - Strip whitespace (or other characters) from the end of a string
- [str\\_replace\(\)](#) - Replace all occurrences of the search string with the replacement string

▲ 23 ▼ ludko2 at gmail dot com

4 years ago

Non-breaking spaces can be troublesome with trim:

```
<?php
// turn some HTML with non-breaking spaces into a "normal" string
$myHTML = "&nbsp;abc";
$converted = strstr($myHTML, array_flip(get_html_translation_table(HTML_ENTITIES, ENT_QUOTES)));

// this WILL NOT work as expected
// $converted will still appear as " abc" in view source
// (but not in od -x)
$converted = trim($converted);

// &nbsp; are translated to 0xA0, so use:
$converted = trim($converted, "\xA0"); // <- THIS DOES NOT WORK

// EDITED>>
// UTF encodes it as chr(0xC2).chr(0xA0)
$converted = trim($converted,chr(0xC2).chr(0xA0)); // should work

// PS: Thanks to John for saving my sanity!
?>
```



## User Contributed Notes 13 notes

[+ add a note](#)

▲ 23 ▼ ludko2 at gmail dot com

4 years ago

Non-breaking spaces can be troublesome with trim:

```
<?php
// turn some HTML with non-breaking spaces into a "normal" string
$myHTML = "&nbsp;abc";
$converted = strtr($myHTML, array_flip(get_html_translation_table(HTML_ENTITIES, ENT_QUOTES)));

// this WILL NOT work as expected
// $converted will still appear as " abc" in view source
// (but not in od -x)
$converted = trim($converted);
```

# Know Your Framework/Library

<https://github.com/>

# Know Your Framework/Library

<https://github.com/>

# Contribute!



# Checking Code

Sensio Insight

<https://insight.sensiolabs.com/>

- Free for open source
- Integrated with Git
- Symfony-focused, but works with any PHP code
- Checks PHP, XML, YAML, Twig templates, and Composer dependencies

Rule #11-013  
Database queries should use parameter

SQL Injection is possible because of code looking like this:

```
1 $query = 'SELECT * FROM User WHERE username = '.$username .  
password = '.md5($password).'';
```

In such a request, you can assign to `$username` value `toto" OR 1 = 1`. The SQL request will be:

```
1 SELECT * FROM User WHERE username="toto" OR 1 = 1 AND pas  
71dbe52628a3f83a77ab494817525c6"
```

Severity	Category	Developer
3 Critical	13 Architecture	13 John Smith
27 Major	8 Bugrisk	6 Anne Wood
62 Minor	11 Deadcode	3 Larry Fuller
2 Info	1 Security	2 Nancy Jones

# Checking Code

## Scrutinizer

<https://scrutinizer-ci.com/>

- Free for open source
- Integrated with Git
- Integrates open source checking tools like PHP\_CodeSniffer and PHP Mess Detector
- Checks PHP, Python, and Ruby

The screenshot displays the Scrutinizer CI web interface in a Mozilla Firefox browser. The page title is "scrutinizer - Mozilla Firefox" and the URL is "scrutinizer". The user is logged in as "schmittjoh / serializer". The interface shows a list of inspected merge pull requests. The most recent one, "Inspected Merge pull request #204 from c... master" (about 2 hours ago), shows a "Good job, 4 issues were fixed." with a quality score of 6.54 (good). The issues listed are: "PropertyMetadata Improved" (B to A), "DateHandler Improved" (B to A), and "XmlSerializationVisitor got worse" (B to C). Below this, another pull request "Inspected Merge pull request #187 from m... master" (12 days ago) shows "2 issues (2 Informational) were introduced." and "3 added classes/operations": "XmlSerializationTest::testDateTimeNoCData() added" (A), "BaseDriverTest::testPersonCData() added" (A), and "XmlSerializationVisitor::visitSimpleString() added" (A). A third pull request "Inspected Merge pull request #184 from l... master" (12 days ago) is partially visible. On the right side, there is a circular quality score badge showing "6.54 (good)" and a "Badges" section with "quality 6.54" and "coverage unknown". Below that, "Latest Alerts" shows three critical alerts for "XmlSerializationVisi... rated critical".

# Checking Code

## Code Climate

<https://codeclimate.com/>

- Free for open source
- Integrated with Git
- Very fast
- Checks PHP, JS, Ruby, and coming soon - Python
- Takes security seriously: [codeclimate.com/security](https://codeclimate.com/security)

aws/aws-sdk-php Home Tour Pricing Sign Up with GitHub Login

Feed Code Issues Branches Trends Tweet 2d120e45

Summary of January 12th - 18th  
7 files changed, 176 insertions, 21 deletions

Summary of January 5th - 11th  
28 files changed, 10,291 insertions, 6,178 deletions

A → B src/Aws/Ecs/EcsClient.php has gotten worse. 14 days ago

+ Six classes/modules were added. 14 days ago

- B src/Aws/CloudHsm/CloudHsmClient.php
- A src/Aws/CloudHsm/Exception/CloudHsmException.php
- F src/Aws/CloudHsm/Resources/cloudhsm-2014-05-30.php
- F src/Aws/Rds/Resources/rds-2014-10-31.php
- A tests/Aws/Tests/CloudHsm/CloudHsmClientTest.php
- A tests/Aws/Tests/CloudHsm/Integration/IntegrationTest.php

+ Five classes/modules were added. 16 days ago

- A src/Aws/Ecs/EcsClient.php

Search by name

3.53 GPA

code climate 3.5 coverage unknown  
Link to Code Climate from your README.

Hotspots

- F src/Aws/AutoScaling/Auto...
- F src/Aws/CloudFormation/...
- F src/Aws/CloudWatch/Clou...
- F src/Aws/ElasticCache/Elasti...
- F src/Aws/ElasticBeanstalk/...

Never  
Stop  
Learning

# Learn by Reading

<http://www.phparch.com/magazine/>

<http://www.phptherightway.com>

<http://phpdeveloper.org>

# Learn by Reading

<https://leanpub.com>

Amazon

Your local library

# Learn by Watching

<http://nomadphp.com>

<https://www.youtube.com/user/phpukconference>

<https://www.youtube.com/user/phpacademy/>

<http://www.pluralsight.com/>

<https://www.youtube.com/user/LevelUpTuts>

# Learn by Instruction

<http://www.phparch.com/training/>

<http://www.zend.com/services/training>

<http://www.codecademy.com/en/tracks/php>



# Learn by Listening

<http://devhell.info>

<http://looselycoupled.info>

<http://phptownhall.com>

<http://thatpodcast.io>

# Learn by Practicing

<https://laracasts.com/series/code-katas-in-php>

[http://codingdojo.org/cgi-bin/index.pl?  
KataCatalogue](http://codingdojo.org/cgi-bin/index.pl?KataCatalogue)

<http://phpcodepad.com>

# Learn by Email

<http://securingphp.com>

<http://www.phpweekly.com>

# Learn by Hanging Out

Freenode

<https://webchat.freenode.net>

#phpc

#phpwomen

#phpmentoring

# Learn by...

Learn by...

# Mentoring

# Find a Mentor

<http://phpmentoring.org>

<http://www.slideshare.net>

<http://www.joinind.in>

<http://php.net/conferences/>

<http://nocapes.net>

<http://voicesoftheelephpant.com>

# Find an Apprentice

<http://phpmentoring.org>

IRC Channels

Stack Overflow

Reddit



# User Groups

<http://php.ug>

<http://php.net/cal.php>

<http://www.meetup.com>

# User Groups

If there's not one near you,  
start one!

(and ask me to help)

# Speak!

<http://rosstuck.com/tips-on-speaking/>

<http://matthewturland.com/2014/07/15/speaking-resources/>

<http://afilina.com/re-how-to-submit-to-conf/>

<http://www.alittleofboth.com/2014/01/how-to-submit-a-talk-to-a-conference/>

# Speak!

<http://php.net/conferences>

<http://joind.in/event/callforpapers>

<https://twitter.com/callbackwomen>

# Resources

- <http://teamtreehouse.com/library/standards-and-best-practices>
- <http://code.tutsplus.com/tutorials/30-php-best-practices-for-beginners--net-6194>
- <https://www.airpair.com/php/posts/best-practices-for-modern-php-development>
- <https://phpbestpractices.org/>
- <https://www.corephp.com/blog/php-best-practices-that-you-must-follow/>
- <http://www.phpbuilder.com/articles/application-architecture/optimization/explore-the-top-11-php-best-practices.html>
- <http://pear.php.net/manual/en/standards.bestpractices.php>
- <http://www.sitepoint.com/php-tips-resources-best-practices-2015/>

# Final Thoughts

Bold coding is, of course, about knowledge and skill, but more importantly, it's about being active:

Actively Learning

Actively Participating

Actively Improving

# Find Me

- Twitter: e3betht
- Madison PHP User Group (Meetup)  
<http://www.madisonphp.com>
- Slides Available on:  
<http://www.TreelineDesign.com/slides>

# Feedback

<https://joind.in/13386>

E-mail:

Beth@CodeClimate.com